SECTION A

INDEX TO VOLUME 28

Authors

Almqvist, E.—Fast neutrons from the T + D and T + Li reactions, 433.

Archibald, W. J.—See Guptill, E. W.

Armstrong, L. D.—High temperature calorimetry.– I. A new adiabatic calorimeter, 44.

——— and Grayson-Smith, H.—High temperature calorimetry. II. Atomic heats of chromium, manganese, and cobalt between 0° and 800° C., 51.

Babbitt, J. D.—On the differential equations of diffusion, 449.

Bayly, J. G.—A calorimetric measurement of the disintegration rate of a P^{32} source, 520.

Beer, M.—Measurements of gravity in the Canadian Arctic and Greenland, 535.

Bernholtz, B.—See Gilchrist, L.

Bloom, J. N.—See Rose, D. C.

Brown, S. C.—See MacDonald, A. D.

Brunton, D. C. and Hanna, G. C.—Energy distribution of fission fragments from U^{235} and U^{233}, 190.

——— and Thompson, W. B.—Energy distribution of fission fragments from Pu^{239}, 498.

Burr, A. C. and Hay, R. H.—Comparative heat losses from bare and anodized aluminum surfaces to still air, 281.

Cameron, A. G. W.—See Millar, C. H.

Carruthers, J. A.—A 60 db. nonlinear amplifier, 287.

Church, T. G.—Formation of radioactive surface films on minerals, 164.

Crawford, M. F., Gray, W. M., Kelly, F. M., and Schawlow, A. L.—Isotope shift in the resonance lines of zinc, 138.

———, Schawlow, A. L., Kelly, F. M., and Gray, W. M.—An atomic beam source and spectograph for hyperfine structure. Nuclear moments of silver, 558.

Cudney, L. F.—See Katz, L.

Currie, B. W.—See Forsyth, P. A.

Dauphinee, T. M., Ivey, D. G., and Smith, H. D.—The thermal conductivity of elastomers under stretch and at low temperatures, 596.

Davison, B.—Angular distribution of neutrons at the interface of two adjoining media, 303.

Demers, P.—Etudes sur les rayons cosmiques à l'aide d'émulsions photographiques spéciales, 628.

Diehl, C. H. H.—See Langstroth, G. O.

Feast, M. W.—Two new $^2\Sigma$–$^2\Sigma$ systems due to the molecule NO, 488.

Forsyth, P. A., Petrie, W., and Currie, B. W.—On the origin of ten centimeter radiation from the polar aurora, 324.
See Katz, L.

Gilchrist, L., Rostoker, N., and Bernholtz, B.—Distribution of potential in a two-layered medium due to an internal source and sink and the determination of the approximate average resistivity of the medium, 1

Girdwood, B. M.—The microwave absorption spectrum of methyl alcohol, 180.

Glicksman, M.—See Millar, C. H.

Graham, G. A. R.—See Spinks, J. W. T.

Grant, F. A.—The duration of the 16 volt levels of neon, 339.

Gray, W. M.—See Crawford, M. F.

Grayson-Smith, H.—See Armstrong, L. D.; Johnson, A. F.; Vasileff, H. D.

Guptill, E. W., Archibald, W. J., and Warren, E. S.—Precision determination of nuclear gyromagnetic ratios, 359.

Hanna, G. C.—See Brunton, D. C.

Haslam, R. N. H.—See Katz, L.

Hay, R. H.—See Burr, A. C.

Henderson, W. J.—See Redhead, P. A.

Herzberg, G.—Forbidden transitions in diatomic molecules. I. The quadrupole rotation-vibration spectrum of H_2, 144.

Hincks, E. P. and Pontecorvo, B.—On the absence of photons among the decay products of the 2.2 microsecond meson, 29.

Ivey, D. G.—See Dauphinee, T. M.

Johns, H. E.—See Katz, L.

Johnson, A. F. and Grayson-Smith, H.—Magnetic susceptibilities of iron group salts at low temperatures, 299.

Kaempffer, F. A.—The angular momentum of the electron in classical electrodynamics, 336.

Kastner, J.—See Welsh, H. L.

Katz, L., Forsyth, P. A., Cudney, L. F., Williams, G. W., Johns, H. E., and Haslam, R. N. H. —A magnetic field stabilization circuit, 67.

————, McNamara, A. G., Forsyth, P. A., Haslam, R. N. H., and Johns, H. E.—Integrator-expander circuits for the control of the maximum X-ray energy from the betatron, 113.

Kelly, F. M.—See Crawford, M. F.

Langstroth, G. O., Diehl, C. H. H., and Winhold, E. J.—The evaporation of droplets in still air, 580.
See Luchak, G.

Lauriston, A. C.—See Welsh, H. L.

LeCaine, H.—See Redhead, P. A.

LeCaine, J.—The neutron density near a plane surface in a capturing medium, 242.

Luchak, G. and Langstroth, G. O.—Applications of diffusion theory to evaporation from droplets and flat surfaces, 574.

MacDonald, A. D.—Tables of the function $e^{-\alpha z}/\gamma M(\alpha;\gamma;z)$, 175.

———— and Brown, S. C.—Electron diffusion in a spherical cavity, 168.

McLauchlan, T. A., Sennett, R. S., and Scott, G. D.—Continuous observations with the electron microscope on the formation of evaporated films of silver, gold, and tin, 530.

McNamara, A. G.—See Katz, L.

Millar, C. H., Cameron, A. G. W., and Glicksman, M.—Gamma-ray studies using deuterium-loaded photographic plates, 475.

Moon, P. and Spencer, D. E.—A geometric treatment of "dimensions" in physics, 268.

Olson, N.—Mathematical analysis of an acoustic filter, 377.

Ourom, L.—See Wu, T.-Y.

Petrie, W.—See Forsyth, P. A.

Pfalzner, P. M.—On the flow of gases and water vapor through wood, 389.

Pickup, E. and Voyvodic, L.—Emission of Li_3^8 nuclei in cosmic ray stars, 616.

Pontecorvo, B.—See Hincks, E. P.

Quinn, H. F.—A spectrophotometric determination of exhaust gas temperatures in the pulse-jet engine, 411.

Redhead, P. A., LeCaine, H., and Henderson, W. J.—The electron cyclotron, 73.

Rose, D. C. and Bloom, J. N.—A saturated core recording magnetometer, 153.

Rostoker, N.—See Gilchrist, L.

Schawlow, A. L.—See Crawford, M. F.

Schneider, W. G. and Thiessen, G. J.—The velocity of sound in helium at temperatures − 78° C. to 200° C. and pressures up to 70 atmospheres, 509.

Scott, G. D.—See McLauchlan, T. A.

Sennett, R. S.—See McLauchlan, T. A.

Smith, H. D.—See Dauphinee, T. M.

Spencer, D. E.—See Moon, P.

Spinks, J. W. T. and Graham, G. A. R.—Preparation and characteristics of a polonium–beryllium neutron source, 60.

Stanley, J. P.—Ionospheric reflection of very long radio waves, 549.

Tate, P. A.—Effect of the illumination of the negative on the resolving power of a projection print, 127.

Thiessen, G. J.—See Schneider, W. G.

Thompson, W. B.—See Brunton, D. C.

Vasileff, H. D. and Grayson-Smith, H.—Specific heats of certain salts of iron group elements from 65° to 300° K., 367.

Voyvodic, L.—Particle identification in photographic emulsions by the delta-ray method, 315. See Pickup, E.

Warren, E. S.—See Guptill, E. W.

Welsh, H. L., Kastner, J., and Lauriston, A. C.—Selective reflection from mercury and cadmium vapors, 93.

Williams, G. W.—See Katz, L.

Winhold, E. J.—See Langstroth, G. O.

Woonton, G. A.—A more exact Fresnel field diffraction relation, 120.

Wu, T.-Y. and Ourom, L.—Probability of auto-ionization in light atoms, 542.

Wyman, M.—Deflections of an infinite plate, 293.

SECTION A

INDEX TO VOLUME 28

Subjects

Absorption spectrum, Microwave, of methyl alcohol, 180.

Acoustic filter, Mathematical, Analysis for an, 377.

Adiabatic calorimeter, A new, 44.

Air
Comparative heat losses from bare and anodized aluminum surfaces to still, 281.
Evaporation of droplets in still, 580.
Flow of, through wood, 389.

Airport runways, Application of results of study of deflection of an infinite plate to design of, 293.

Aluminum surfaces, bare and anodized, Comparative heat losses from, to still air, 281.

Amplifier, A 60 db. nonlinear, 287.

Analysis, Mathematical, of an acoustic filter, 377.

Angular distribution of neutrons at the interface of two adjoining media, 303.

Angular momentum of the electron in classical electrodynamics, 336.

Anodized aluminum surfaces, Comparative heat losses from bare and, to still air, 281.

Arctic, Canadian, and Greenland, Measurements of gravity in, 535.

Atom beam source and spectrograph for hyperfine structure. Nuclear moments of silver, 558.

Atomic heats of chromium, manganese, and cobalt between 0° and 800° C., 51.

Atoms, Light, Probability of auto-ionization in, 542.

Aurora, Polar, ten centimeter radiation from, On the origin of, 324.

Auto-ionization in light atoms, Probability of, 542.

Beryllium, Preparation and characteristics of a polonium–beryllium neutron source, 60.

Betatron, Integrator-expander circuits for the control of the maximum X-ray energy from the, 113.

Cadmium and mercury vapors, Selective reflection from, 93.

Calorimeter, Adiabatic, A new, 44.

Calorimetry
Calorimetric measurement of the disintegration rate of a P^{32} source, 520.
See also High temperature calorimetry.

Canadian Arctic and Greenland, Measurements of gravity in, 535.

Capturing medium, Neutron density near a plane surface in a, 242.

Cavity, Spherical, Electron diffusion in, 168.

Chromium, Atomic heat of, between 0° and 800° C., 51.

Chromium nitrate, Specific heat of, from 65° to 367° K., 367.

Chromium sulphate, Specific heat of, from 65° to 300° K., 367.

Circuits, See Integrator-expander circuits; Magnetic field stabilization circuits.

Classical electrodynamics, Angular momentum of the electron in, 336.

Cobalt, Atomic heat of, between 0° and 800° C., 51.

Cobalt nitrate, Specific heat of, from 65° to 300° K., 367.

Concrete roadways, Application of results of study of deflections of an infinite plate to design of, 293.

Conductivity, See Thermal conductivity.

Control of the maximum X-ray energy from the betatron, Integrator-expander circuits for, 113.

Cosmic rays, Studies on, with the aid of special photographic emulsions, 628.

Cosmic ray stars, Emission of Li_3^8 in, 616.

Cyclotron, Electron, 73.

Decay products of the 2.2 microsecond meson, On the absence of photons among, 29.

Deflections of an infinite plate, 293.

Delta-ray method, Particle identification of photographic emulsions by, 315.

Density, Neutron, near a plane surface in a capturing medium, 242.

Deuterium
Fast neutrons from the T + D and T + Li reactions, 433.
-loaded photographic plates, Gamma ray studies using, 475.

Diatomic molecules, Forbidden transitions in; The quadrupole rotation-vibration spectrum of H_2, 144.

Differential equations of diffusion of gases and vapors, 499.

Diffraction relation, Fresnel field, A more exact, 120.

Diffusion
Electron, in a spherical cavity, 168.
of gases and vapors, On the differential equations of, 449.
theory, Applications of, to evaporation from droplets and flat surfaces, 574.

"Dimensions" in physics, geometric treatment of, 268.

Disintegration rate of a P^{32} source, Calorimetric measurement of, 520.

Distribution of energy of fission fragments from U^{235} and U^{233}, 190.

Distribution of neutrons, Angular, at the interface of two adjoining media, 303.

Droplets
and flat surfaces, Application of diffusion theory to evaporation from, 574.
Evaporation of, in still air, 580.

Duration of the 16 volt levels of neon, 339.

Elastic foundations, Deflection of a loaded plate resting on, 293.

Elastomers, under stretch and at low temperatures, Thermal conductivity of, 596.

Electrodynamics, Classical, Angular momentum of electron in, 336.

Electron cyclotron, 73.

Electron diffusion in a spherical cavity, 168.

Electron microscope, Continuous observations with, on the formation of evaporated films of silver gold, and tin, 530.

Electrons, Angular momentum of, in classical electrodynamics, 336.

Emission of Li_3^8 in cosmic ray stars, 616.

Emulsions, Photographic, See Photographic emulsions.

Energy
distribution of fission fragments from Pu^{239}, 498.
U^{235} and U^{233}, 190.
X-ray, Maximum, from the betatron, Integrator-expander circuits for control of, 113.

Engine, Pulse-jet, Exhaust gas temperatures in spectrophotometric determination of, 411.

Equations, Differential, of diffusion of gases and vapors, 449.

Evaporation
from droplets and flat surfaces, Applications of diffusion theory to, 574.
of droplets in still air, 580.

Exhaust gas temperatures, See under Gases.

Films
Evaporated, of silver, gold, and tin, Continuous observations with the electron microscope on the formation of, 530.
Radioactive surface, Formation of, on minerals, 164.

Filter, Acoustic, Mathematical analysis of an, 377.

Fission fragments, Energy distribution of, from Pu^{239}, 498.
from U^{235} and U^{233}, 190.

Flow of gases and water vapor through wood, 389.

Forbidden transitions in diatomic molecules,
I. The quadrupole rotation-vibration spectrum of H_2, 144.

Foundation, Elastic, Deflection of a loaded plate resting on, 293.

Fragments, See Fission fragments.

Fresnel field diffraction relation, A more exact, 120.

Function $e^{-\alpha z/\gamma}\ M(\alpha;\gamma;z)$, Tables of, 175

Gamma-rays, studies on, using deuterium-loaded photographic plates, 475.

Gases
and water vapor, Flow of, through wood, 389.
Exhaust, in pulse-jet engine, Spectrophotometric determination of temperature of, 411.

Geometric treatment of "dimensions" in physics, 268.

Gold, silver, and tin, Continuous observation with the electron microscope on the formation of evaporated films of, 530.

Gravity, Measurements of, in the Canadian Arctic and Greenland, 535.

Greenland and the Canadian Arctic, Measurements of gravity in, 535.

Gyromagnetic ratios, Nuclear, Precision determination of, 359.

H_2, Quadrupole rotation-vibration spectrum of, 144.

Heat
Atomic, of chromium, manganese, and cobalt between 0° and 800° C., 51.
losses, Comparative, from bare and anodized aluminum surfaces, to still air, 281.
Specific, of certain salts of iron group elements from 65° to 300° K., 367.

Helium, Velocity of sound in, at temperatures—78° C. to 200° C. and pressures up to 70 atm., 509.

High temperature calorimetry
I. A new adiabatic calorimeter, 44.
II. Atomic heats of chromium, manganese, and cobalt between 0° and 800° C., 51.
See also Calorimetry.

Hydrogen, Quadrupole rotation-vibration spectrum of, 144.

Hyperfine structure, An atom beam source and spectrograph for. Nuclear moments of silver, 558.

Ice sheets on Canadian lakes, Problems associated with thickness of, See Deflections of an infinite plate, 293.

Illumination of the negative, Effect of, on the resolving power of a projection print, 127.

Infinite plates, Deflections of, 293.

Integrator-expander circuits for the control of the maximum X-ray energy from the betatron, 113.

Ionization, See Auto-ionization.

Ionospheric reflection of very long radio waves, 549.

Iron group elements, Specific heats of, from 65° to 300° K., 367.

Iron group salts, Magnetic susceptibilities of at low temperatures, 229.

Isotope shift in the resonance lines of zinc, 138.

Levels, 16 volt, of neon, duration of, 339.

Li_3^8 in cosmic ray stars, Emission of, 616.

Light atoms, Probability of auto-ionization in, 542.

Lines, Resonance, in zinc, Isotope shift in, 138.

Lithium
Fast neutrons from the T + D and T + Li reactions, 433.
See Li_3^8.

Magnetic field stabilization circuit, 67.

Magnetic susceptibilities of iron group salts at low temperatures, 229.

Maganese, Atomic heat of, between 0° and 800°C., 51.

Magnetometer, Saturated core recording, 153.

Mathematical analysis of an acoustic filter 377.

Media
Angular distribution of neutrons at the interface of two adjoining, 242.
Distribution of potential in a two layered medium due to an internal source and sink and the determination of the average resistivity of the medium, 1.
Neutron density near a plane surface in a capturing medium, 242.

Mercury and cadmium vapors, Selective reflection from, 93.

Meson, 2.2 Microsecond, on the absence of photons among the decay products of, 29.

Methyl alcohol, Microwave absorption spectrum of, 180.

Microscope, See Electron microscope.

Microwave absorption spectrum of methyl alcohol, 180.

Minerals, Formation of radioactive surface films on, 164.

Molecules, Diatomic, Forbidden transitions in; the quadrupole rotation-vibration spectrum of H_2, 144.

Moments, See Nuclear moments.

Momentum, Angular, of the electron in classical electrodynamics, 336.

Negatives, Effect of illumination of, on the resolving power of a projection print, 127.

Neon, Duration of the 16 volt levels of, 339.

Neutrons
Angular distribution of, at the interface of two adjoining media, 303.
density, near a plane surface in a capturing medium, 242.
Fast, from the T + D and T + Li reactions, 433.
source, A polonium-beryllium, Preparation and characteristics of, 60.

Nickel nitrate, Specific heat of, from 65° to 300° K., 367.

Nitric oxide, Two new $^2\Sigma$–$^2\Sigma$ systems due to the molecule, 475.

Nonlinear amplifier, A 60 db., 287.

Nuclear gyromagnetic ratios, Precision determination of, 359.

Nuclear moments of silver. An atom beam source and spectrograph for hyperfine structure, 558.

Oxygen, Flow of, through wood, 389.

P^{32} source, Calorimetric measurement of the disintegration rate of a, 520.

Particle identification in photographic emulsions by the delta-ray method, 315.

Phosphorus 32 source, Calorimetric measurement of the disintegration rate of a, 520.

Photographic emulsions
Particle identification in, by the delta-ray method, 315.
Special, Studies on cosmic rays with the aid of, 628.

Photographic plates, Deuterium loaded, Gamma-ray studies using, 475.

Photons, On the absence of, among the decay products of the 2.2 microsecond meson, 29.

Physics, Geometric treatment of "dimensions" in, 268.

Plates, infinite, Deflections of, 293.

Plutonium 239, Energy distribution of fission fragments from, 498.

Polar aurora, Ten centimeter radiation from, On the origin of, 324.

Polonium–beryllium neutron source, Preparation and characteristics of, 60.

Potential, Distribution of, in a two-layered medium due to an internal source and sink, and the determination of the approximate average resistivity of the medium, 1.

Power, See Resolving power.

Prints, See Projection print.

Probability of auto-ionization in light atoms, 542.

Projection print, Effect of illumination of the negative on the resolving power of a, 127.

Pu^{239}, Energy distribution of fission fragments from, 498.

Pulse-jet engine, See Engine.

Quadrupole rotation-vibration spectrum of H_2, 144.

Radiation, Ten centimeter, from the polar aurora, On the origin of, 324.

Radioactive surface films, Formation of, on minerals, 164.

Radio waves, Ionospheric reflection of very long, 549.

Rays, See Cosmic rays.

Recording magnetometer, Saturated core, 153.

Reflection
Ionospheric, of very long radio waves, 549.
Selective, from mercury and cadmium vapors, 93.

Resistivity, Distribution of potential in a two-layered medium due to an internal source and sink and the determination of the approximate average resistivity of the medium, 1.

Resolving power of a projection print, Effect of the illumination of the negative on, 127.

Resonance lines of zinc, Isotope shift in, 138.

Roadways, see Concrete roadways.

Rotation, See under Forbidden transitions.

Runways, see Airport runways.

Saturated core recording magnetometer, 153.

Selective reflection, See under Reflection.

Shift, Isotope, in the resonance lines of zinc, 138.

Silver
gold, and tin, Continuous observations with the electron microscope on the formation of evaporated films of, 530.
Nuclear moments of; an atom beam source and spectrograph for hyperfine structure, 558.

Sink, See under Potential.

Sound, Velocity of, in helium at temperatures −78° C. to 200° C. and pressures up to 70 atm., 509.

Sources
A polonium-beryllium neutron, Preparation and characteristics of, 60.
P^{32}, Calorimetric measurement of the disintegration rate of, 520.
See under Potential.

Specific heats of certain salts of iron group elements from 65° to 300° K., 367.

Spectrograph, An atom beam source and, for hyperfine structure. Nuclear moments of silver, 558.

Spectrophotometry, Determination of exhaust gas temperatures in the pulse-jet engine by, 411.

Spectrum
Microwave absorption, of methyl alcohol, 180.
Quadrupole rotation-vibration, of H_2, 144.

Spherical cavity, Electron diffusion in, 168.

Stabilization circuit, A magnetic field, 67.

Stars, See Cosmic ray stars.

Structure, See Hyperfine structure.

Surface films, Radioactive, Formation of, on minerals, 164.

Surfaces, Applications of diffusion theory to evaporation from droplets and flat, 574.

Susceptibility, See Magnetic susceptibilities.

Systems, $^2\Sigma$–$^2\Sigma$, Two new, due to the molecule NO, 475.

Temperature
of exhaust gas in pulse-jet engine. Spectrophotometric determination of, 411.
Magnetic susceptibilities of iron group salts at low, 229.
Thermal conductivity of elastomers under stretch at low, 596
See also High temperature calorimetry.

Ten centimeter radiation from the polar aurora, On the origin of, 324.

Thermal conductivity of elastomers under stretch and at low temperatures, 596.

Tin, silver, and gold, Continuous observations with the electron microscope on the formation of evaporated films of, 530.

Transitions, See Forbidden transitions.

Tritons, Fast neutrons from the T + D and T + Li reactions, 433.

U^{233}, See Uranium 235 and 233.

U^{235}, See Uranium 235 and 233.

Uranium 235 and 233, Energy distribution of fission fragments from, 190.

Vapors
Mercury and cadmium, Selective reflection from, 93.
Water, and gases, Flow of, through wood, 389.

Velocity of sound in helium at temperatures − 78° C. to 200° C. and pressures up to 70 atm., 509.

Vibration spectrum of H_2, The quadrupole rotation-, 144.

Water vapor and gases, Flow of, through wood, 389.

Waves, Ionospheric reflection of very long radio, 549.

Wood, Flow of gases (air, oxygen) and water vapor through, 389.

X-ray energy, Maximum, from the betatron, Integrator-expander circuits for control of, 113.

Zinc, Isotope shift in resonance lines of, 138.